



Chef de
Jardin

& the living
is easy

SHADING SYSTEMS

Chef de Jardin

Comfortable outdoor living throughout all seasons

With carefully selected modern outdoor equipment, we help create idyllic corners on your terrace or garden for carefree enjoyment in simple moments all year round.

& the living is easy

04

FABRIC PERGOLA

Olivia

10

BIOCLIMATIC PERGOLA

Bellavie

14

FOLDING PERGOLA

Vivia



18

CARPORTS AND GARAGES

Chef de Jardin

23

SIDE SHADING SYSTEMS

**ZIP screen
blinds**


26

CARPORT

**Solar
Carport**

Olivia


FABRIC PERGOLA



FABRIC



White 1010 3D



White 8200 Basic



White 9100 Basic



Cream 8300 Basic



Cream 2020 3D



Cream 9200 Basic



Grey 8100 Basic



Grey 3030 3D



Black 7070 3D




Metallic 4040 3D

- ✓ Made in accordance with EU standards
- ✚ Wide range of colours
- ⏏ Electric fabric movement

- ☀ UV-resistant
- 🌀 High wind stability (up to 120 km/h)
- 💧 100% waterproof and resistant to mould and algae

TECHNICAL SPECIFICATIONS



Aluminium structure

Powder coating prevents colour fading. Colour customization available according to the RAL chart.

Profile sections

¹Gutter | ²Guide rail | ³Front beam | ⁴Post



1



2



3



4



Hidden water drainage

The drainage system is cleverly integrated into both beams and posts, allowing easy water discharge at the base or side.

REMOTE CONTROL



Remote control

All our products are equipped with a globally recognized **Somfy motor from France with a 5-year warranty**. The pergola is easily operated via a wireless remote control.

CONFIGURATION



FREE-STANDING
Open



FREE-STANDING
Closed



WALL-MOUNTED
Open



WALL-MOUNTED
Closed


Configuration

Free-standing | 4 posts

Wall-mounted under ceilings or walls | 2 posts



**MODULARITY AND
ACCESSORIES**



Modularity

Modularity allows installation of multiple units side by side.

Accessories

LED lights | ZIP screen shades | Glass walls | Audio system | Sliding panels

Bellavie

BIOCLIMATIC PERGOLA



TECHNICAL SPECIFICATIONS



Aluminium construction

Powder coating prevents color fading. Color selection available across the full RAL palette.

Remote control

All our products are equipped with the internationally recognized **Somfy motor from France, featuring a 5-year warranty.**

Hidden water drainage

The drainage system is cleverly integrated into the beams and posts, allowing for easy water flow at the base or sides.

Profile sections

¹Integrated gutter | ²Louver | ³Post

CONFIGURATION



FREESTANDING

Open



FREESTANDING

Closed



WALL-MOUNTED

Open

Configuration


Freestanding | 4 posts

Wall-mounted under ceilings or against walls | 2 posts

Integration into existing structures.



**MODULARITY AND
ACCESSORIES**



Modularity


Modularity allows installation of multiple units side by side.

Accessories

LED lights | ZIP screen shades | Glass walls
Audio system | Sliding panels | Louver heating

Vivia

FOLDING PERGOLA



TECHNICAL SPECIFICATIONS



1



2



3

Aluminium construction

Powder coating prevents color fading. Color selection available across the full RAL palette.

Remote control

All our products are equipped with the internationally recognized **Somfy motor from France, featuring a 5-year warranty.**

Hidden water drainage

The drainage system is cleverly integrated into the beams and posts, allowing for easy water flow at the base or sides.

Profile sections

¹Integrated gutter | ²Louver | ³Post

CONFIGURATION



FREE-STANDING
Open



FREE-STANDING
Closed



WALL-MOUNTED
Open



WALL-MOUNTED
Closed

Configuration

Free-standing | 4 posts

Wall-mounted under ceilings or walls | 2 posts

Integration into existing structures.

MODULARITY AND ACCESSORIES



Modularity

Modularity allows installation of multiple units side by side.

Accessories

LED lights | ZIP screen shades | Glass walls
Audio system | Sliding panels | Louver heating

Chef de Jardin

CARPORTS AND GARAGES





ROOFING

Tempered Glass

- High resistance to temperature changes and external mechanical impacts (hail, impact)
- Safety feature – when broken, it shatters into small, blunt pieces
- High light transmission

Flat Roof

- EPDM roofing membrane
- Sika
- Polyurea

Polycarbonate Panels

- Excellent resistance to impacts and all weather conditions (UV rays, heat, cold, rain)
- Strong load capacity (can hold heavy snow loads)
- Transparent panels offer thermal insulation while allowing natural light through

Sheet Metal Roofing

- Resistant to all weather conditions
- Long lifespan
- Best value for money – more affordable than other roofing materials



TECHNICAL
SPECIFICATIONS

Hidden Water Drainage

The drainage system is cleverly integrated into the beams and posts, allowing easy water discharge at the base or sides.

Steel or Aluminium Structure

Powder coating prevents color fading. Color selection available in the RAL color chart.



CONFIGURATION



FREESTANDING

Configuration

Freestanding | 4 posts

Wall-mounted under ceilings or against walls | 2 posts

WALL-MOUNTED

ACCESSORIES



Accessories

LED lights | ZIP screen shades |
Glass walls | Sliding panels

ZIP screen blinds


SIDE SHADING SYSTEMS



FABRIC



White 86-2044




Champagne 86-2175



Concrete 86-2167



Sandy beige 86-2135



Alu/alu 86-2048



Anthracite 86-2047



Black 86-2053



Pepper 86-2012



Cocoa 86-2148



Bronze 86-2043

💧 Water-repellent

☀️ Resistant to mold, algae, and UV rays


🌈 Wide range of colors

🛡️ Long-lasting color durability

⭐ Quick and easy maintenance

✅ Highest quality European-made materials

TECHNICAL SPECIFICATIONS



Advantages

Due to the high stability of the material during installation and use, there is no stretching or tearing.

The fabric is thin and compact, allowing for easy rolling. A smooth finish ensures simple maintenance.



Advantages


The material remains tensioned even in strong wind gusts.

Remote control

All our products are equipped with an internationally recognized **Somfy motor from France, with a 5-year warranty.**

Solar Carport

CARPORT





**TECHNICAL
SPECIFICATIONS**

**Warranty o
structure**

**10 years against
corrosion**

Strong steel construction

Sheet metal is galvanized and powder-coated, providing high resistance to all weather conditions.

Hidden water drainage

Drainage system is integrated into the supports and pillars, allowing easy water runoff at the bottom or sides.



**SOLAR
POWER PLANT**

**Warranty
on modules**

**12 years on material
and 30 years on
output power**

- ☀ Solar plant nominal power 6.84 kW
- ✓ Roof consists of high-quality module (18 panels)

- 🛡 High standards of quality and durability
- ★ High efficiency and performance

CONFIGURATION



Configuration

Freestanding | 4 pillars

Mounted | 2 pillars

Dimensions and tilt

Carport dimensions 5.3 x 6.3 m allow parking of two vehicles under the carport. Minimum tilt is 5° with J orientation.

CHARGING STATION



Possibility to
obtain Eko sklad
subsidy and loan

Non-refundable funds
for investment
up to €1,200

- ☆ Modern design using top-quality materials
- ⚡ Electronics with integrated climate control
- ☀ Charging power 3.6 kW – 22 kW

- 📶 3G / WiFi / OCPP communication option
- 👍 Administration via ELIOS Cloud
- ⚡ Integrated energy meter



E-mail

hello@chefdejardin.com

Phone

+386 (0)51 232 270

Website

www.chefdejardin.com

Instagram & Facebook

@chefdejardin